


www.dematic.com.au

Dematic Pty Ltd
24 Narabang Way
Belrose NSW 2085
Australia

T +61 2 9486 5555
F +61 2 9486 5511
info.anz@dematic.com


24/7 Service Hotline
Australia 1800 026 529
New Zealand 0800 226 529
service.au@dematic.com



About Colby Products

Colby is one of Australia's best known and respected brands of innovative, high quality storage solutions. With more than 40 years experience in providing, reliable and cost effective solutions, Colby combines the flexibility of a national network of independent distributors, with the resources of global materials handling specialist Dematic.

Colby products are designed, engineered and manufactured by Dematic Pty Ltd.



United States
Dematic Corp.
507 Plymouth Avenue NE
Grand Rapids, Michigan 49505
USA
Phone: +1 877 725 7500
Fax: +1 616 913 7701
usinfo@dematic.com

Northern Europe
Dematic Limited
Beumont Rd,
Banbury, OXON, OX16 1QZ
United Kingdom
Phone: +44 1295 274 600
Fax: +44 1295 267 132
northerneurope@dematic.com

Central Europe
Dematic GmbH & Co. KG
Carl-Legien-Strasse 15
63073 Offenbach
Germany
Phone: +49 69 8903 0
Fax: +49 69 8903 1299
info@dematic.com

Southern Europe
Dematic Logistic Systems, S.A.
C/Alemania, 2-4
28820 Coslada
Madrid
Phone: +34 91 2057700
Fax: +34 91 2057749
info@dematic.com


Asia Pacific
Dematic Pty. Ltd.
24 Narabang Way
Belrose NSW 2085
Australia
Phone: +61 2 9486 5555
Fax: +61 2 9486 5511
info.anz@dematic.com


Creating Logistics Results

DEMATIC

Storage has been described as transportation at zero kilometres an hour. Well organised storage plays an important role in optimising distribution performance by providing a crucial supply chain buffer that helps you manage peaks and throughput variations.

Effective storage and distribution solutions to keep you a step ahead.






- Selective pallet racking allows 100% access to every pallet location at any time
- When correctly designed there are few limitations to the type of goods that can be stored in selective pallet racking
- ColbyRACK is designed for your individual needs. It is configurable to suit your storage requirements, your warehouse parameters and your materials handling equipment
- Selective racking requires a relatively low capital investment, yet provides the highest flexibility

Selective Pallet Racking


Maximum storage flexibility and versatility



A versatile range of beam sections



Strong frame bracing




Shelving options with mesh decks or particle boards



Rack end protection for safer operation



Front and rear upright protectors minimise damage



Lowest cost. Highest flexibility. Selective pallet racking is the most popular storage system for palletised goods. It provides ready access to every pallet location for a relatively low capital investment.

Selective pallet racking can be serviced by virtually any type of forklift including counterbalance and reach rucks. It is ideal where full selectivity and speed of operation are the main objectives. Selective pallet racking can also be adjusted to suit the height of goods stored and it can be easily relocated. A variety of different beam and upright dimensions allows ColbyRACK to suit your storage requirements at a competitive price.

Better Products. Better Value.
A new storage system is a substantial investment. To achieve optimum storage capacity without compromising productivity targets Colby invests continuously in product development for reliable rack solutions. Better products minimise the risk damage and ensure years of outstanding performance.

ColbyRACK is designed and manufactured in Australia from high strength steel. Smart section design including strengthening ribs and reinforcing flanges ensures outstanding safety.

“We subject the full range of ColbyRACK components to rigorous testing to ensure the highest levels of design integrity.”
Dr. Murray Clarke
Head of Structural Engineering, Dematic



Colby RackMAN is proprietary software designed to ensure safety, integrity and compliance with design standards.

Drive-In Pallet Racking

A low cost, versatile solution for high density pallet storage



Drive-In pallet racking is the lowest cost and most popular form of high density pallet storage. Drive-In racking provides excellent storage capacity in applications where there is a large quantity of pallets for each SKU. It is ideal for many industry sectors including general manufacturing, food and beverage as well as the cold storage industry.

Colby Drive-In Rack has advanced design characteristics that ensure optimal performance at the lowest cost per footprint.

Heavy-duty bracing connects symmetrically to the rack upright, increasing strength and load-carrying capacity, while reducing the amount of bracing required.

The system includes innovative, one piece, formed cantilever brackets that wrap securely around the upright.

Backstops are positioned at the end of the pallet runners to prevent pallets from being pushed too far into the rack, eliminating potential damage to spine bracing and further increasing safety.

Heavy-duty, purpose-designed floor channels help to guide forklifts into Drive-In Rack bays, ensuring quick and easy alignment, safer handling and reduced risk of rack damage. For added protection, our patented Colby Protect-a-RACK wraps around the base of the rack uprights, with their angled profile deflecting impacts, minimising damage and maximising clear bay entry.

Typical Drive-In Rack Assemblies



Robust pallet runners for easy load positioning



Innovative cantilever brackets



Stronger, more rigid uprights



Heavy-duty floor channels



Streamlined rack protection for safer operation

- Optimised design uses fewer, but stronger and larger structural components, which means you pay less without compromising load capacity and safety
- Colby Drive-In racking components are standardised, making installation surprisingly quick and simple
- Our modular design is highly configurable for individual needs
- All Colby Drive-In Rack solutions incorporate a completely integrated system of safety elements to minimise damage in the event of accident and maximise the life of your storage system



Colby RackMAN is proprietary software designed to ensure safety, integrity and compliance with design standards.

ColbyRACK Beams

Optimum combination of structural performance, durability and cost efficiency



Box beam (BB)
Our standard versatile beam



Open beam (OB)
For light-duty applications



Heavy-duty beam (UU)
Help resist frontal impact damage

Colby offers a wide variety of beams for adjustable pallet racking to meet differing requirements, balancing the needs of structural performance, cost and durability. All standard Colby beams are made from 1.6mm thick high tensile steel. Heavy-duty beams are made from 2.0mm thick high tensile steel. A powder coated finish creates a durable, hard wearing surface for even the harshest warehouse environments. The standard beam colour is safety orange. The range of beams includes “closed”, “open” and “structural” beams, depending on load requirements.

Standard beam **lengths**:

1370mm / 2590mm / 2740mm / 3050mm

Standard beam **depths**:

BB 85mm / 93mm / 110mm / 130mm / 155mm

UU 110mm / 130mm / 150mm

OB 55mm / 75mm

ColbyRACK Upright Sections

Maximum upright strength at minimum cost

High strength steel and smart section design combine to provide maximum upright strength at minimum cost. A strengthening rib in the front face of the upright and reinforcing flanges at the rear, make them significantly stronger than conventional systems.

The unique diamond-slot profile of ColbyRACK provides a stronger and more efficient interlock between upright and beam connectors. All ColbyRACK uprights are supplied with a galvanized finish to provide long-life performance even in the harshest of conditions.

Available **standard** uprights:

Width: 90mm Steel Thickness: 1.5mm

Width: 125mm Steel Thickness: 1.9mm


Available **rear flange** uprights:

Width: 90mm Steel Thickness: 1.5 / 1.9 / 2.4

Width: 110mm Steel Thickness: 1.9 / 2.4 / 3.0

Width: 125mm Steel Thickness: 1.9 / 2.4 / 3.0

Width: 150mm Steel Thickness: 1.9 / 2.4 / 3.0



Pallet Runner System
Maximum storage and operational effectiveness



Double Deep Pallet Racking
Better density compared to selective rack



Push Back Pallet Racking
Dense storage with greater selectivity



Pallet Live Storage
First-in first-out automatic stock rotation



Narrow Aisle Racking
Excellent capacity saves land and building costs



High Rise Storage
Automated storage and retrieval